## 1.5.4 Hydrology Data Sheet for Bridges

MEMORANDUM TO:	Submittal Date:	
DRC DOAD DECICN TEAM LEADED.		
RPG ROAD DESIGN TEAM LEADER:		-
<b>RPG STRUCTURAL ENGINEER:</b>		
From: Hydraulic Design Squad	l / Engineer	_
Subject: Hydrology Data for Bridge over		
	Rd/Rte:	
Structure No:	Const. Pin:	
Bridge Data:		
Bridge Length:	ft. Bridge Width:	ft.
Beg. Station:		
Pier/Pile Type:		ft.
Skew Aligie.	o	
		-
Bridge Span Type:		-
Min. F.G. Elev.:ft.	Min. Low Steel Elev.	ft.
Min. Bottom Interior Bent Cap Elev. (For Tidal Bridges Only) ft.		ft.
Br. End Fill Slope: Ripra	p Req'd: Yes 🗆 No 🗆 To Elevation:	ft.
Comments:		
		-
		_
		_
		-
Historic High Water Information:		
Elevation of High Water:	ft. Discharge: (if available)	ft.
Date of occurrence:		
	Page	1 of 2

Design High Water and Backwater Information: (Show high water elevations including backwater on plans)			
If 'Secondary Road' provide 25-yr high water eleva	tion including backwater: ft.		
If 'Primary Road' provide 50-yr high water elevation including backwater:			
For all roads provide 100-yr high water elevation including backwater:			
Hydrology Data for Tidal Bridges: (Only complete this section if tidal flow is the dominant flow) (show on plans)			
Mean Higher high tide elevation =	ft.		
Mean Lower low tide elevation =	ft.		
10-year tidal surge height =	ft. (includes wave height)		
100-year stillwater height =	ft.		
500-year stillwater height =	ft.		
Maximum vel. within bridge = 100-yr. tidal surge velocity	500-yr. tidal r: fps surge velocity: fps		
Hydrology Data for Riverine Bridges: (Only complete this section if riverine flow is the dominant flow) (show on plans)			
D.A. =	sq. mi. (or acres)		
Q <sub>Design</sub> =	_ cfs		
Vel. <sub>Design</sub> =	ft./sec.		
Design Headwater Elevation =	_ ft.		
Including	ft. backwater		
Q <sub>100</sub> =	_ cfs		
Vel <sub>100</sub> =			
100 Year Headwater Elev. =	_ ft.		
Including	ft. backwater		
Overtopping Flood:			
Q = cfs Proba	bktx{"?%		
cc: Environmental Engineer			
Note: Probability may be determined by plotting the 2-, 10-, 25-, 50-, 100-, and 500-year discharges on Gumble paper and reading the probability corresponding to the overtopping discharge. For discharges greater than 500-year, the probability should be stated as less than ( $\leq$ ) 0.002.Profiles of the computed scour for the 100-year and 500-year floods should be shown on the bridge plan and profile sheet. The shape of these profiles should be based on the methods described in the HEC-18. A plot of the 100- and 500-year scour lines on a bridge plan and profile sheet must be provided. Revised 3/16/09			

Page 2 of 2